

---

## Model US-60B, Ultrasonic Clamshell Sealer



The US-60B is an ultrasonic crimp sealer for clamshell packages. This user-friendly plastic sealing machine is operated by an easy-to-squeeze handle. As the handle is squeezed, the upper portion of the jaw vibrates at 60 KHz and successfully welds the plastic material with consistent sealing quality. This clamshell sealer is designed with an automatic timer to produce perfect identical seals each and every time. When the sealing is complete, a heating lamp will notify you. This ultrasonic crimp sealer is ready to use as soon as it has been powered on. The US-60B greatly improves packaging appearance and presentation.

MORE IMAGES

[- US-60B Uses](#)

Specifications

Voltage/ Power AC 100V

consumption 50/60Hz 60W

---

Dimension (oscillator)	W100 X H90.5 X D180 mm (3.9" X 3.6" X 7.1")
------------------------	--

Weight (oscillator) 2Kg (4.5Lbs)

Power cord length	3m (118.1")
-------------------	-------------

Dimension (sealing device) 170.6(L) X 20.4 (Handle Diameter)  
mm (6.7" X 0.8")

---

Weight (sealing device)	0.21Kg (0.5Lbs)
-------------------------	-----------------

Curl code length 2m (78.7") (when extending in the maximum)

Point Sealing Part Dimension	Anvil A (for A-PET): 2 X 2 mm  (0.07" X 0.07") Anvil B (for OPS,  PVC): 1.5 X 6 mm (0.06" X 0.24")
------------------------------	--

---

## Ultra Wave Specification

Ultrasonic frequency      Normal 60

Hz

Oscillation power	18W
-------------------	-----

Sealing time                      0.5 - 1.7 sec.

Oscillation method	Automatic tracking
--------------------	--------------------

---

Oscillation display

Red LED

[Request Information](#)

[Model](#)